



1/5




FIG. 1

200

```
<SAP : Main SOAP : mustUnderstand="1" wsu : Id="4711"
  SAP : versionMajor=3 SAP : versionMinor=0>
    <SAP : MessageClass> ApplicationMessage< /SAP : MessageClass>
    <SAP : ProcessingMode> asynchronous< /SAP : ProcessingMode>
    <SAP : MessageId> 449219F1-A519-11D7-C936-FB350A135031< /SAP : MessageId>
    <SAP : TimeSent> 2003-06-23T01 : 23 : 17Z< /SAP : TimeSent>
```

```
<SAP : Sender>
<SAP : Party agency="016" scheme="DUNS"> 114315195< /SAP : Party>
<SAP : Service> SRM1< /SAP : Service>
< /SAP : Sender>
<SAP : Receiver>
<SAP : Party SAP : agency="016" SAP : scheme="DUNS">
  007321904
  < /SAP : Party>
  <SAP : Service> Sales< /SAP : Service>
< /SAP : Receiver>
<SAP : Interface SAP : namespace="http : // sap . com /ABC">
  Order_Out
< /SAP : Interface>
< /SAP : Main>
```

Header	Message Class		
	Application-Message	Application-Response	ApplicationError
Main	X	X	X
Error	—	—	X
ReliableMessaging	X	—	—
Ack	—	—	—
HopList	Conditional: If TransportAckRequested or ApplicationAckRequested is Equal True	—	—
Security	Conditional: If Authentication Required	Conditional: If Authentication Required	—
Diagnostic	Conditional	Conditional	Conditional
Type			
'Application'	X	X	Conditional: Depends on Application
'ApplicationAttachment'	Conditional: If Attachment Provided by Sender	Conditional: If Attachment Provided by Sender	—
'System'	Conditional: If Message Tracing is Switched On	Conditional: If Message Tracing is Switched On	Conditional: If Message Tracing is Switched On
Protocol Invariants			
Main/ ProcessingMode	Synchronous, Asynchronous	Synchronous	Synchronous
Main/ RefToMessageId	Arbitrary, But Must be Valid MessageId of Another ApplicationMessage	Must be the MessageId of the Corresponding ApplicationMessage	Must be the MessageId of the Corresponding ApplicationMessage
Error/Code	N/A	N/A	'APPLICATION'
Error/Fault	N/A	N/A	Applications Fault Interface

FIG. 3




FIG. 4




FIG. 5